

# XD SOLO®

## SPEC SHEET



The **XD Solo®** is a complete wireless sound system using DECT Technology. This portable speaker system emits crystal clear audio in any location to meet the needs of today's media-rich learning environments. With built-in Voice Priority, the system will automatically lower the volume of music when a person speaks into a paired XD microphone. Connect a Companion Speaker to the XD Solo for increased audio range. Made for maximum portability, this system has built-in rechargeable batteries, an easy-to-carry handle, a tripod mount and a flat base for setting on any surface.



# SPECIFICATIONS

| <b>XD Solo®</b>                       |  |
|---------------------------------------|--|
| Frequency Response                    | 70 Hz ~ 18 kHz ± 3 dB  |
| Sensitivity                           | Input Dependent  |
| Signal to Noise Ratio                 | >70 dB   |
| Maximum SPL                           | 105 dB   |
| Output Power                          | 150 Watt   |
| Mic/ Line Input Connectors            | Two XLR/1/4" Combo Mic/Line In, RCA -1/8" Stereo-Aux Input, SD, & USB    |
| ALD Line Output Connector             | 1/8" - Aux Out (3.5 mm)  |
| Controls                              | Master Volume, Low, Mid, High, CH1 Volume, CH2 Volume, Aux In, ALD Level |
| Wireless Type                         | DECT Technology  |
| Speaker                               | 8" Woofer, 1" Horn   |
| Batteries                             | 12V, 2.8Ah 2 qty (Lead-Acid) Rechargeable Batteries                      |
| Running Time                          | 8-10 Hours   |
| Charging Time                         | 7-8 Hours  |
| Power Requirements                    | 32 VDC 2A (Universal 100-240VAC 50/60Hz Power Supply Included)           |
| Weight                                | 18.85 lbs (8.55 kg)  |
| Dimensions                            | 17.25 (H) x 10.5 (W) x 11.5 (D) in. (438 x 267 x 292 mm)                 |
| <b>Wireless Specifications</b>        |  |
| System Frequency                      | DECT Technology 1.9 GHz  |
| Microphone Type                       | Unidirectional electret condenser microphone                             |
| Temperature Range                     | 32 °F - 104 °F (0°C - 40°C)  |
| <b>Interface, Other, and Exterior</b> |  |
| Remote control via Microphone         | Audio controls: Mic 1, Mic 2   |
| Typical Range of XD Microphone        | 100-120 ft   |